

Attorney Docket No: 1171/42397/151-PCT-US



## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventors: Smith and McPhee )  
 For: ISOLATED TEMPERATURE )  
 SENSOR FOR HUMIDIFICATION )  
 SYSTEM )  
 Serial No.: 10/523,132 )  
 Filed: January 21, 2005 )  
 Art Unit: Not Yet Assigned )  
 Atty Docket No.: 1171/42397/151-PCT-US )

## CERTIFICATE OF MAILING

I HEREBY CERTIFY THAT THIS PAPER OR FEE IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE AS FIRST-CLASS MAIL IN AN ENVELOPE ADDRESSED TO THE COMMISSIONER FOR PATENTS, P.O. Box 1450, Alexandria, VA 22313-1450:

*August 25, 2005**Tiffany E. Sexton*  
Tiffany E. Sexton*#4*

**RESPONSE TO NOTICE TO FILE MISSING REQUIREMENTS UNDER 35 U.S.C. 371 IN THE UNITED STATES DESIGNATED/ELECTED OFFICE**

Commissioner For Patents  
 P.O. Box 1450  
 Alexandria, VA 22313-1450  
**MAIL STOP: MISSING PARTS**

Sir:

The above-noted application was filed on January 21, 2005, via Express Mail. As a result of the original, executed Declaration document not being attached to said application, a Notice to File Missing Parts issued.

In response to the aforementioned Notice, please find enclosed herewith the following:

- a. The original Declaration and Power of Attorney for Patent Application, executed by the inventors, Malcolm David Smith and Stephen William McPhee.
- b. A copy of the aforementioned Notice to File Missing Parts of Application
- c. A check in the amount of \$130.00 for payment of late filing of the executed Declaration and Power of Attorney.

If the afore-mentioned check is missing or insufficient, the Commissioner is hereby authorized and requested to charge Deposit Account No. 20-1495 any amount necessary to cover any costs associated with this Response or to credit any overpayment.

Respectfully submitted,

Dated: August 24, 2005By: Raiford A. Blackstone

Raiford A. Blackstone, Jr., Reg. No. 25,156  
 Linda L. Palomar, Reg. No. 37,903  
 Attorneys for Applicant  
 TREXLER, BUSHNELL, GIANGIORGI,  
 BLACKSTONE & MARR, LTD.  
 105 W. Adams Street, 36th Floor  
 Chicago, IL 60603-6299  
 (312) 704-1890